

Outlineoffungi.org - Note 65, *Belizeana*

Belizeana Kohlm. & Volk.-Kohlm.

Kohlmeyer & Kohlmeyer (1987) introduced *Belizeana* with *B. tuberculata* as the type species. Kohlmeyer & Volkmann Kohlmeyer (1987) placed *Belizeana* in *Pleosporaceae*. Lumbsch & Huhndorf (2010) transferred *Belizeana* to *Elsinoaceae*. Jones et al. (2015) transferred *Belizeana* to *Dothideales* genus *incertae sedis*. Pem et al. (2019b) re-examined a paratype specimen of *B. tuberculata* (IMS 4209) and transferred *Belizeana* to *Dothidotthiaceae* based on its subglobose, dark brown to black ascomata, clavate to cylindrical asci and 1-septate, ellipsoidal, pale brown ascospores (D. Pem).

Reference

- Kohlmeyer J, Volkmann-Kohlmeyer B. 1987 – Marine fungi from Belize with a description of two new genera of ascomycetes. *Botanica Marina* 30, 195–204. [Doi 10.1515/botm.1987.30.3.195](https://doi.org/10.1515/botm.1987.30.3.195)
- Lumbsch HT, Huhndorf SM. 2010 – Outline of *Ascomycota*-2009. *Fieldiana Life and Earth Sciences* 1, 1–60. [Doi 10.3158/1557.1](https://doi.org/10.3158/1557.1)
- Jones EBG, Suetrong S, Sakayaroj J, Bahkali AH et al. 2015 – Classification of marine *Ascomycota*, *Basidiomycota*, *Blastocladiomycota* and *Chytridiomycota*. *Fungal Diversity* 73(1), 1–72. [Doi 10.1007/s13225-015-0339-4](https://doi.org/10.1007/s13225-015-0339-4)
- Pem D, Jeewon R, Bhat DJ, Doilom M et al. 2019b – Mycosphere Notes 275-324: A morpho taxonomic revision and typification of obscure *Dothideomycetes* genera (*incertae sedis*). *Mycosphere* 10(1), 1115–1246. [Doi 10.5943/mycosphere/10/1/22](https://doi.org/10.5943/mycosphere/10/1/22)